

	Common Name (Click on name for photo)	Botanical Name	Native to Columbia Basin Native to WA Heritage Garden Recommended Tree: T G-Grass S-shrub WF: Windflower. D-Deciduous C-Cacti SP-Semi-deciduous B-Biennial Exposure (FS: Full Sun pSH: Part Shade SH: Shade) Water: (None < 10" Low 10"-15" Med 15"-20" High >20") Bloom Time (Sp, Sum, F, W)-winter interest Mature Width Mature Height Pollinators Birds Hummingbirds Butterflies Mammals Documented Human Use * (Source: Native American Ethnobotany and Plants for a Future) *this is by no means a comprehensive or authoritative list. Further research is recommended. Fire Landscape Zone (Learn More Here) Best time to plant (Early Spring- Fall)																		Comments and Tips	
Please Note: Plants that require no water once established are best planted in Fall. Our inventory is constantly changing- When you place your order, you will be notified what size is available. Questions? Give us a call or email How to order																						
	Bestsellers! These plants are perfect for those who are new to gardening with natives. Hearty and colorful throughout the seasons!																					
LILE	Lewis' Blue Flax	<i>Linum lewisii</i>	Y	Y	HG	WF	P	FS	Low	Sp-F	1'	2.5'	Po	B					Edible + Medicinal + Weaving	Sp/F	This plant features long lasting blue flowers. Easy to grow and reseed	
SPMU	Munro's Globemallow	<i>Sphaeralcea munroana</i>	Y	Y	HG	WF	P	FS	None	Sum-F	2.5'	2'	Po				M			F	Long lasting blooms. One of our absolute favorites! Recommend for every garden. Do not overwater	
GAAR	Native Blanket Flower	<i>Gaillardia aristata</i>	Y	Y	HG	WF	P	FS	Med	Sum	1'	1.3'	Po				Bu		Medicinal	Sp/F	Long lasting blooms. Deadhead to promote continuous growth. Easy to grow.	
ACMI	Native Yarrow	<i>Achillea millefolium</i>	Y	Y		WF	P	FS	None	Early Sum	1'	2'	Po				Bu		Medicinal + Lawn Replacement	Sp/F	Spreads if given additional water. Ideal for low water 'lawn.' Mow as you would grass. Deadheading will reduce reseeding and improve appearance.	
ERLA	Oregon Sunshine	<i>Eriophyllum lanatum</i>	Y	Y	HG	WF	P	FS	Low	Sp	1'	0.8'	Po				Bu		Medicinal	F	Treat as an annual, short lived but readily re-seeds. Perfect along pathways	
ERNI	Snow Buckwheat	<i>Eriogonum niveum</i>	Y	Y		WF	P	FS	None	Sum-F	3'	2'	Po						Medicinal	F		
ERSP	Showy Fleabane	<i>Erigeron speciosus</i>	Y	Y		WF	P	FS	Med	Sp	2'	3'	Po				Bu		Medicinal	Sp/F	Can be divided once mature. Fast and easy to grow	
OEPA	Pale Evening Primrose (OEPA)	<i>Oenothera pallida</i>	Y	Y	HG	WF	P	FS	Low	Early Sum		2.3'			H				Medicinal	any	F	Careful not to overwater.
ARFR	Fringed Sagebrush	<i>Artemisia frigida</i>		Y		S	E	FS	None	Sum	1.5'	1.5'					M		Dye + Medicinal	2,3	Sp/F	Low Growing shrub and very fragrant! Pioneer species (good for disturbed/poor soil sites)
ERNA	Gray Rabbitbrush	<i>Ericameria nauseosa</i>	Y	Y	HG	S	D	FS - pSH	None	Sum-W I	5'	4'	Po	B			Bu	M	Dye + Medicinal	2,3	F	Can prune for desirable shape. Gets leggy if overwatered. Seed heads add winter interest.
SADO	Purple Sage	<i>Salvia dorrii</i>	Y	Y	HG	S	D	FS	None	Early Sum	3'	2.5'	Po		H		Bu		Medicinal	2,3	F	One of our favorites! Do not overwater
PSPP	Bluebunch Wheatgrass	<i>Pseudoroegneria spicata</i>	Y	Y	HG	G	P	FS	Med		1'	3'		B			M		Livestock Browse	3	Sp/F	
SCSC	Little Bluestem	<i>Schizachyrium scoparium</i>		Y		G	P	FS - pSH	Low	WI	2'	3'	Po	B			Bu	M		Sp/F	Sp/F	Warm season bunchgrass. Turns red in fall with bright white seed heads. Beautiful winter interest.
	Grasses	In order by botanical name																				
ACHY	Indian Ricegrass	<i>Achnatherum hymenoides</i>	Y	Y	HG	G	P	FS	None	WI		2'		B			M		Edible + Nitrogen Fixer + Erosion Control	F	F	Does not tolerate poorly drained soils. Allow to reseed. Lovely fountain shape.
BOGR	Blue Grama Grass	<i>Bouteloua gracilis</i>		N		G		FS	None					B						Sp/F	Sp/F	Warm season Southwest native bunchgrass with beautiful eyelash like seed heads. Can be mown short and used as part of a drought tolerant lawn replacement.
ELEL	Bottlebrush Squirreltail	<i>Elymus elymoides</i>	Y	Y		G	P	FS	Low		2'	2.5'		B			M			F	F	This plant re-seeds easily, good for restoration projects
FEID	Idaho fescue	<i>Festuca idahoensis</i>	Y	Y		G	P	FS - pSH	Low		1.3'	1.5'		B					Erosion Control	2,3	F	This plant re-seeds easily- Good for restoration and erosion control!
HECO	Needle & Thread Grass	<i>Hesperostipa comata</i>	Y	Y		G-like	P	FS	None			4'					M			F	F	
KOMA	Prairie Junegrass	<i>Koeleria macrantha</i>	Y	Y		G	P	FS - SH	Med			1.5'							Edible	Sp/F	Sp/F	great partial shade tolerant grass near walkways!
LECI	Great Basin Wildrye	<i>Leymus cinereus</i>	Y	Y	HG	G	P	FS	None	Sum	3'	7'		B			M		Windbreak	Sp/F	Sp/F	Excellent in mass plantings as a native windbreak!
POSE	Sandberg Bluegrass	<i>Poa secunda</i>	Y	Y		G	P	FS - pSH	None			1.3'							Restoration	2,3	F	Outcompetes cheatgrass!
PSPP	Bluebunch Wheatgrass	<i>Pseudoroegneria spicata</i>	Y	Y	HG	G	P	FS	Med		1'	3'		B			M		Livestock Browse	3	Sp/F	
SPCR	Sand Dropseed	<i>Sporobolus cryptandrus</i>	Y	Y		G	P	FS	None		0.5'	1.7'		B					Edible	Sp/F	Sp/F	Warm Season grass that reseeds easily
SCSC	Little Bluestem	<i>Schizachyrium scoparium</i>		Y		G	P	FS - pSH	Low	WI	2'	3'		B			M			Sp/F	Sp/F	Warm season bunchgrass. Turns red in fall with bright white seed heads. Beautiful winter interest.

			<div>Native to Columbia Basin</div> <div>Native to WA</div> <div>Heritage Garden Recommended</div> <div>Tree: T</div> <div>D: Deciduous</div> <div>SD: Semi-Deciduous</div> <div>Exposure (FS: Full Sun, F: Part Shade, SH: Shade)</div> <div>Water: (None < 10" , Low 10"-15" , Med 15"-20" , High > 20")</div> <div>Bloom Time (Sp: Spring, S: Summer, F: Fall, W: Winter Interest)</div> <div>Mature Width</div> <div>Mature Height</div> <div>Pollinators</div> <div>Birds</div> <div>Hummingbirds</div> <div>Butterflies</div> <div>Mammals</div> <div>Documented Human Use* (Source: Native American Ethnobotany and Plants for a Future) *This is by no means a comprehensive or authoritative list. Further research is recommended.</div> <div>Fire Landscape Zone (Learn More Here)</div> <div>Best Time to Plant (Early Spring: SP, Fall: F)</div>																		Comments and Tips	
SYID	Blue Eyed Grass	<i>Sisyrinchium idahoense</i>		Y		G	P	pSH-SH	High	Sum				Po						Sp/F	Great for a moist, partly shaded area! Cute blue flowers in spring/summer	
		Full Sun Pollinator Paradise!	These sun loving forbs attract pollinators near and far. In order by Botanical Name																			
ACMI	Native Yarrow	<i>Achillea millefolium</i>	Y	Y		WF	P	FS	None	Early Sum	1'	2'	Po			Bu		Medicinal + Lawn Replacement		Sp/F	Spreads if given additional water. Ideal for low water 'lawn.' Mow as you would grass. Deadheading will reduce reseeding and improve appearance.	
AGCU	Cusicks Giant Hyssop	<i>Agastache cusickii</i>		N		WF	P	FS	Low	Sum	1.5'	1'	Po		H	Bu		Deer Resistant	2,3	Sp/F	Lovely anise smell! Attracts many polinators and is a great addition along pathways or in xeric gardens	
AGRU	Sunset Hyssop	<i>Agastache rupestris</i>		N		WF	P	FS	Low						H			Tea + Deer Resistant	2,3	Sp/F		
ALAC	Tapertip Onion	<i>Allium acuminatum</i>	Y	Y		WF	P	FS-pSH	Low	Sum	10"	18"	Po					Edible		F	Plant in groupings of 3 + to really see it pop!	
ALCE	Nodding Onion	<i>Allium cernuum</i>	Y	Y		WF	P	FS-pSH	Med	Sum		1.5'	Po		H	Bu	M	Edible + Medicinal + Deer Resistant		Sp/F		
ANMA	Western Pearly Everlasting	<i>Anaphalis margaritacea</i>	Y	Y		WF	P	FS - pSH	High	Sum	2'	2.5'	Po					Medicinal		F		
ANRO	Rosy Pussytoes	<i>Antennaria rosea</i>	Y	Y		WF	P	FS - pSH	Med	Sum	2'	1'				Bu			any	F	Can be divided in early spring.	
ARFR	Fringed Sagebrush	<i>Artemisia frigida</i>		Y		S	E	FS	None	Sum	1.5'	1.5'					M	Dye + Medicinal	2,3	Sp/F	Low Growing shrub and very fragrant! Pioneer species (good for disturbed/poor soil sites)	
ASSP	Showy Milkweed	<i>Asclepias speciosa</i>	Y	Y		WF	P	FS	Med	Early Sum		4'	Po		H	Bu		Edible + Medicinal +Deer Resistant	any	Sp/F	Vigorous grower. Important larval host for monarch butterflies.	
ASTU	Butterfly Weed	<i>Asclepias tuberosa</i>		N		WF	P	FS	> 30"	Mid Sum		2'	Po		H	Bu		Medicinal		Sp/F	Long lasting blooms add a splash of color and attract butterflies. Has the potential to re-seed itself.	
ASPU9	Woolypod Milkvetch	<i>Astragalus purshii</i>	Y	Y		WF	P	FS	Low	Mid Sp		0.6'						Medicinal + Nitrogen Fixer		F	Can be tough to transplant- try direct sowing from seed. Seed Packets available	
ASSU	Columbia Milkvetch	<i>Astragalus succumbens (Fall 2024)</i>	Y	Y		WF	P	FS	Low				Po					Nitrogen Fixer		F		
BACA	Carey's Balsamroot	<i>Balsamorhiza careyana</i>	Y	Y	HG	WF	P	FS	None	Early Sp		2.5'	Po						2,3	F	Grows VERY slowly.	
BARO	Rosy Balsamroot	<i>Balsamorhiza rosea (Fall 2024)</i>		Y		WF	P	FS	Low				Po							F		
BASA	Arrowleaf Balsamroot	<i>Balsamorhiza sagittata</i>	Y	Y		WF	P	FS	None	Late Sp		2'	Po					Edible + Medicinal	2,3	F	This plant is dormant except for in early Spring. Grows VERY slowly!	
BELY	Chocolate Flower	<i>Berlandiera lyrata</i>	N	N		Wf	P	FS	Low	Sum	2'	2'	Po			Bu				Sp/F	Native to the Southwest, this perennial is not cold tolerant. Best planted in a hot spot that will have added protection in winter temps.	
CHDO	Douglas' Dustymaiden	<i>Chaenactis douglasii (Fall 2024)</i>	Y	Y		WF	P	FS	Med	Early Sum		1.6'	Po					Medicinal		F	This plant has a short life span, treat as a biennial.	
CHAN	Fireweed	<i>Chamerion angustifolium</i>	Y	Y		WF	P	FS - pSH	Med	Sum		5.5'	Po					Edible + Medicinal + Weaving	2, 3	F		
CRAT	Slender Hawksbeard	<i>Crepis atriobarba (Fall 2024)</i>		Y		WF	P	FS	None				Po							F		
CYAC	Cholla Cactus	<i>Cylindropuntia Acanthocarpa</i>		N		C	E	FS	None				Po	B				Edible + Living Fence		F		

	Common Name (Click on name for photo)	Botanical Name	<div>Native to Columbia Basin</div> <div>Native to WA</div> <div>Heritage Garden Recommended</div> <div>Tree: T</div> <div>D: Deciduous</div> <div>S: Semi-Deciduous</div> <div>P: Perennial</div> <div>Exposure (FS: Full Sun, pSH: part shade, SH: Shade)</div> <div>Water: (None < 10" / Low 10"-15" / Med 15"-20" / High >20")</div> <div>Bloom Time (Sp, Sum, F, W: winter interest)</div> <div>Mature Width</div> <div>Mature Height</div> <div>Pollinators</div> <div>Birds</div> <div>Hummingbirds</div> <div>Butterflies</div> <div>Mammals</div> <div>Documented Human Use* (Source: Native American Ethnobotany and Plants for a Future) *This is by no means a comprehensive nor authoritative list. Further research is recommended.</div> <div>Fire Landscape Zone (Learn More Here)</div> <div>Best Time to Plant (Early Spring: SP, Fall: F)</div>																		Comments and Tips	
PEEA	Firecracker Penstemon	<i>Penstemon eatonii</i>		N	HG	WF	P	FS	Low	Late Sp	3'	3'	Po		H	Bu		Medicinal	Sp/F	Hummingbirds LOVE it.		
PEFR	Shrubby Penstemon	<i>Penstemon fruticosus</i>	Y	Y	HG	WF	P	FS	Low	Mid Sp		2'	Po		H	Bu		Medicinal	any	Sp/F		
PEGL	Sticky Stem Penstemon	<i>Penstemon glandulosus</i>	Y	Y		WF	P	FS	Low	lt Sp			Po		H	Bu			any			
PEPA	Palmer Penstemon	<i>Penstemon palmeri</i>		N		WF	P	FS	None	Sum	2'	4'	Po		H	Bu			any	Sp/F	Southwest native that does very well here.	
PEPE	Blue Mtn Beardstongue	<i>Penstemon pennellianus</i> (Fall 2024)		Y		WF	P	FS	Low	Lt Sp			Po		H	Bu			any	Sp/F	Rare in WA! Found E of the Cascades in open gravel/sandy woodlands	
PEPI	Pineleaf Penstemon	<i>Penstemon pinifolius</i>		N		WF	P	FS	Low				Po	B	H				any	Sp/F		
PEPR2	Small-Flowered Penstemon	<i>Penstemon procerus</i>		Y		WF	P	FS-pS H	Med				Po		H	Bu			any	Sp/F	Likes rich organic soils	
PEPR3	Chelan Penstemon	<i>Penstemon pruinosus</i>	Y	Y		WF	P	FS	Med	lt Sp			Po		H	Bu			any	Sp/F	Native to central WA	
PEPS	Desert Beardtongue	<i>Penstemon pseudospectabilis</i>		N		WF	P	FS	Low				Po	B	H				any	Sp/F		
PERI	Richardson's Penstemon	<i>Penstemon richardsonii</i>	Y	Y		WF	P	FS	Med	Sum	2.5'	2.5'	Po		H	Bu			any	Sp/F	Readily reseeds and can be propagated by layering.	
PESP	Showy Penstemon	<i>Penstemon speciosus</i>	Y	Y		WF	P	FS	Med	Mid Sum		2.5'	Po		H	Bu			any	Sp/F		
PEST	Rocky Mtn Penstemon	<i>Penstemon strictus</i>		N	HG	WF	P	FS	Med	Sp	1.7'	2.5'	Po		H	Bu				Sp/F		
PEVE	Venus Penstemon	<i>Penstemon venustus</i>	Y	Y		WF	P	FS - nSH	High	Early Sum		2'	Po		H	Bu				Sp/F		
PHHA	Silverleaf Phacelia	<i>Phacelia hastata</i>	Y	Y		WF	P	FS - nSH	Low	Sum		2'								Sp/F		
PHLO	Longleaf Phlox	<i>Phlox longifolia</i>	Y	Y	HG	WF	P	FS - nSH	High	Late Sp	1.5'	1'				Bu		Medicinal	2, 3	F	May be difficult to establish, but worth it!	
POGR	Slender Cinquefoil	<i>Potentilla gracilis</i>		Y		WF		FS-pS H	None				Po		H			Medicinal	Sp/F	Sp/F	Saline Tolerant	
RACO	Prairie Coneflower	<i>Ratibida columnifera</i>		N		WF	P	FS	Low	Sum	0.5'	2'		B			M	Tea + Medicinal +Dye	Sp/F			
RUOC	Western Coneflower	<i>Rudbeckia occidentalis</i>		Y		WF	P	FS	None	Sp-Sum			Po		H				Sp/F			
SADO	Purple Sage	<i>Salvia dorrii</i>	Y	Y	HG	S	D	FS	None	Early Sum	3'	2.5'	Po		H	Bu		Medicinal	F		One of our favorites! Do not overwater	
SAGR	Texas Red Sage	<i>Salvia greggii</i>	N	N		S	D	FS	Low	Sum	2.5'	2.5'	Po		H				F		A southwest native sage that draws hummingbirds!	
SOCA	Goldenrod	<i>Solidago canadensis</i>		Y		WF	P	FS	Med	Sp-Sum			Po	B	H			Edible + Medicinal	F			
SPMU	Munro's Globemallow	<i>Sphaeralcea munroana</i>	Y	Y	HG	WF	P	FS	None	Sum-F	2.5'	2'	Po				M		2,3	F	Long lasting blooms. One of our absolute favorites! Recommend for every garden. Do not overwater	
SYSU	Western Aster	<i>Symphyotrichum subspicatum</i>		Y		WF		FS-pS H	Low				Po		H				any	Sp/F		
THSE3	Creeping Thyme	<i>Thymus serpyllum</i>		N		WF	E	FS	Low				Po		H			Tea + Edible	2,3	F		
ZAGA	Creeping Hummingbird Trumpetvine	<i>Zauschneria garrettii</i>		N		WF		FS-pS H	Low						H				2,3	F		

	Common Name (Click on name for photo)	Botanical Name	<div>Native to Columbia Basin Native to WA Heritage Garden Recommended Tree: T G-Grass, S-shrub, W-: Wildflower, D-Deciduous, P-Pernennial, B-Biennial C-Cacti, A-Aquatic Exposure (FS: Full Sun, pSH: Part Shade, SH: Shade) Water: (None < 10" / Low 10"-15" / Med 15"-20" / High >20") Bloom Time (Sp, Sum, F, W)-winter interest Mature Width Mature Height Pollinators Birds Hummingbirds Butterflies Mammals</div>																		<div>Documented Human Use * (Source: Native American Ethnobotany and Plants for a Future) *This is by no means a comprehensive nor authoritative list. Further research is recommended.</div> <div>Fire Landscape Zone (Learn More Here) Best Time to Plant (Early Spring: SP, Fall: F)</div>			Comments and Tips
GETR	Prairie Smoke	<i>Geum triflorum</i>	Y	Y	WF	P	FS - pSH	Med	Early Sum	1'	1.5'	Po							Medicinal	any	sp/F	Plants can be propagated by division in early spring		
GEVI	Sticky Geranium	<i>Geranium viscosissimum</i>	Y	Y	WF	P	FS - pSH	Med	Early Sum	2'	2'	Po	B	H		M			Medicinal	any	sp/F			
HECY	Roundleaf Alumroot	<i>Heuchera cylindrica</i>	Y	Y	WF	P	pSH - SH	Med	Sum	1'	1.7'								Medicinal	any	sp/F	This plant does well in Tri-Cities and Walla Walla gardens		
IRMI	Native Iris	<i>Iris missouriensis</i>		Y	WF		FS-pSH	None	Sum			Po		H					Medicinal		sp/F			
KOMA	Prairie Junegrass	<i>Koeleria macrantha</i>	Y	Y	G	P	FS - SH	Med			1.5'								Edible		sp/F			
LOCI	Orange Honeysuckle	<i>Lonicera ciliosa</i>		Y	S	Vine	FS-SH	Medium						B	H				Medicinal		sp/F			
MOFI	Wild Bergemont	<i>Monarda fistulosa</i>		N	WF	P	FS/pSH	Med	Sum	18"	18"	Po		H	Bu						sp/F			
PEPR2	Small-Flowered Penstemon	<i>Penstemon procerus</i>		Y	WF	P	FS-pSH	Med				Po		H	Bu					any	sp/F	Likes rich organic soils		
PESE5	Cascade Penstemon	<i>Penstemon serrulatus</i>		Y	WF	P	FS-pSH	High	Sum			Po		H	B				Medicinal	any	sp/F			
POGR	Slender Cinquefoil	<i>Potentilla gracilis</i>		Y	WF		FS-pSH	None				Po		H					Medicinal		sp/F	Saline Tolerant		
SYSU	Western Aster	<i>Symphotrichum subspicatum</i>		Y	WF		FS-pSH	Low				Po		H							sp/F	Late season Butterfly feeder! Highly recommended for a butterfly garden.		
	Groundcovers + Vines	<i>in order by botanical name</i>																						
CEAR	Field Cerastium	<i>Cerastium arvense</i>		Y	WF/GC	P	FS/pSH	medium	early spring			Po			Bu					Any	sp/F	If given a little additional water this lovely spreading groundcover will bloom continuously		
FRVI	Wild Strawberry	<i>Fragaria virginiana</i>		Y	WF/GC	P	FS-SH	None	Sp-Sum			Po	B	H					Edible + Medicinal	any	sp/F	Flavorful native strawberry! Great groundcover		
LOCI	Orange Honeysuckle	<i>Lonicera ciliosa (Fall 2024)</i>		Y	S	Vine	FS-SH	Medium						B	H				Medicinal		Sp/F			
PACA	Wooly Groundsel	<i>Packera cana</i>		Y	WF/GC	P	FS	Low	Sp-Sum			Po								any	any	Low growing with lovely yellow blooms- excellent in rock gardens		
SEALCC	Sedum album 'Coral Carpet'	<i>Sedum album 'coral carpet'</i>		N	WF/GC	P	FS	Medium	Sum +Fl			Po								any	any			
SELA	Lanced Leaf Sedum	<i>Sedum lanceolatum</i>	Y	Y	WF/GC	P	FS - pSH	Low	Sum		0.8'	Po			Bu				Edible + Medicinal					
SEDI	Spreading Stonecrop	<i>Sedum divergens</i>	Y	Y	WF/GC	P	FS - pSH	Low	Late Sum		0.5'	Po			Bu				YES	any				
THSE3	Creeping Thyme	<i>Thymus serpyllum</i>		N	WF/GC	E	FS	Low				Po		H					Tea + Edible	2,3	F			
	Shrubs and Trees	<i>In order by botanical name</i>																						
AMAL	Saskatoon Serviceberry	<i>Amelanchier alnifolia</i>	Y	Y	HG	S	D	FS - pSH	High	Sp	5'	12'	Po	B		M			Edible + Medicinal	3	sp/F	Birds love this plant!		
ARAR	Black Sagebrush	<i>Artemisia arbuscula</i>		Y	S	E	FS	Low						B						NR	F			
ARFR	Fringed Sagebrush	<i>Artemisia frigida</i>		Y	S	E	FS	None	Sum	1.5'	1.5'					M			Dye + Medicinal	2,3	F	Low Growing shrub and very fragrant! Pioneer species (good for disturbed/poor soil sites)		
ARTR	Great Basin Sagebrush	<i>A. tridentata tridentata</i>	Y	Y	HG	S	E	FS	None	Mid Sum	8'	7'		B		M			Medicinal	NR	F	Keystone Species! Prune old stems as necessary to keep it looking its best. Fragrant!		
ARUV	Kinnikinnick	<i>Arctostaphylos uva-ursi</i>	Y	Y	HG	S	E	FS - pSH	High	Sum-W I	3'	0.5'	Po	B	H	M			Erosion Control + Edible + Medicinal	2, 3	sp/F	Slow growing attractive ground cover that prefers some shade. Red berries provide color in winter		
ATCA	Fourwing Saltbrush	<i>Atriplex canescens</i>		Y	S	SD	FS	Low			3'	4'		B		M			Dye + Edible + Medicinal + Saponin	2,3	F	Saline tolerant. This plant is unique in that it can change gender based on environmental cues! Amazing!		

[illegible]

[illegible]

[illegible]

[illegible]